

DAFTAR PUSTAKA

- Agustina, W., & Wardani, E. K. (2019). Penurunan Hemoglobin pada Penyakit Ginjal Kronik Setelah Hemodialisis di RSU “KH” Batu. *Jurnal Ners Dan Kebidanan (Journal of Ners and Midwifery)*, 6(2), 141–146. <https://doi.org/10.26699/jnk.v6i2.art.p141-146>
- Ajorpaz, N. M., Rahemi, Z., Aghajani, M., & Hashemi, S. H. (2020). Effects of glycerin oil and lavender oil massages on hemodialysis patients' restless legs syndrome. *Journal of Bodywork and Movement Therapies*, 24(1), 88–92. <https://doi.org/10.1016/j.jbmt.2019.06.012>
- Aliabadi, A. Z., Mirhosseini, Z., Rastaghi, S., & Rad, M. (2020). Comparison of the effect of cold dialysate versus stretching exercises on severity of restless legs syndrome in patients undergoing hemodialysis: A randomized controlled trial. *Evidence Based Care Journal*, 10(3), 14–22. <https://doi.org/10.22038/ebcj.2020.51306.2366>
- Aliasgharpour, M., Abbasi, Z., Pedram Razi, S., & Kazemnezhad, A. (2016). The effect of stretching exercises on severity of restless legs syndrome in patients on hemodialysis. *Asian Journal of Sports Medicine*, 7(2). <https://doi.org/10.5812/asjsm.31001>
- Arinta, A., Rihiantoro, T., & Hardono, H. (2016). Peningkatan Kadar Albumin Pada Pasien Gagal Ginjal Kronik yang Menjalani Hemodialisis. *Jurnal Aisyah : Jurnal Ilmu Kesehatan*, 1(1), 61. <https://doi.org/10.30604/jika.v1i1.9>
- Ariwijaya, R., Y, E. Y. F., & Adhisty, K. (2020). Pengaruh Terapi Kombinasi Relaksasi terhadap Tingkat Kecemasan Pasien Hemodialisa. *Jurnal Kesehatan Saemakers Perdana (JKSP)*, 3, 20–31.
- Baradero, M. (2012). Klien gangguan ginjal: seri asuhan keperawatan. *Jakarta : EGC*.
- Carvalho, A., Barbirato, D., Araujo, N., Martins, J. V., Sá Cavalcanti, J. L., Santos, T. M., Countinho, E. S., Laks, J., & Deslandes, A. C. (2015). Comparison of strength training, aerobic training, and additional physical therapy as supplementary treatments for Parkinson's disease: Pilot study. *Clinical Interventions in Aging*, 10, 183–191. <https://doi.org/10.2147/CIA.S68779>
- Chavoshi, F., Einollahi, B., Haghghi, K. S., Saraei, M., & Izadianmehr, N. (2015). Prevalence and sleep related disorders of restless leg syndrome in hemodialysis patients. *Nephro-Urology Monthly*, 7(2). <https://doi.org/10.5812/numonthly.24611>
- Cheraghbeigi, N., Modarresi, M., Rezaei, M., & Khatony, A. (2019). Comparing

- the effects of massage and aromatherapy massage with lavender oil on sleep quality of cardiac patients: A randomized controlled trial. *Complementary Therapies in Clinical Practice*, 35(March), 253–258. <https://doi.org/10.1016/j.ctcp.2019.03.005>
- Chung, Y. C., Yeh, M. L., & Liu, Y. M. (2017). Effects of intradialytic exercise on the physical function, depression and quality of life for haemodialysis patients: a systematic review and meta-analysis of randomised controlled trials. *Journal of Clinical Nursing*, 26(13–14), 1801–1813. <https://doi.org/10.1111/jocn.13514>
- Dirksen, S. R., Lewis, S. L., Heitkemper, M. M., & Bucher, L. (2011). *Medical Surgical Nursing*. Elsevier.
- Diyono, & Mulyati, S. (2019). *Keperawatan Medikal Bedah Sistem Urologi*. Andi.
- Fauzi, A., & Triaswati, R. (2021). The Effect of Intradialytic Stretching Training on Restless Legs Syndrome and Sleep Quality in HemodFauziialysis Patients. *Korean Journal of Adult Nursing*, 33(1), 37–43. <https://doi.org/10.7475/kjan.2021.33.1.37>
- Garcia-Borreguero, D., Silber, M. H., Winkelmann, J. W., Högl, B., Bainbridge, J., Buchfuhrer, M., Hadjigeorgiou, G., Inoue, Y., Manconi, M., Oertel, W., Ondo, W., Winkelmann, J., & Allen, R. P. (2016). Guidelines for the first-line treatment of restless legs syndrome/Willis-Ekbom disease, prevention and treatment of dopaminergic augmentation: A combined task force of the IRLSSG, EURLSSG, and the RLS-foundation. *Sleep Medicine*, 21, 1–11. <https://doi.org/10.1016/j.sleep.2016.01.017>
- Ghanbari, A., Shahrababaki, P. M., & Dehghan, M. (2022). *Comparison of the Effect of Reflexology and Swedish Massage on Restless Legs Syndrome and Sleep Quality in Patients Undergoing Hemodialysis : a Randomized Clinical Trial*. 15(2), 1–13.
- Ghasemi, M., Rejeh, N., Bahrami, T., Heravi-Karimooi, M., Tadrisi, S. D., & Vaismoradi, M. (2021). Aromatherapy massage vs. Foot reflexology on the severity of restless legs syndrome in female patients undergoing hemodialysis. *Geriatrics (Switzerland)*, 6(4). <https://doi.org/10.3390/geriatrics6040099>
- Giannaki, C. D., Sakkas, G. K., Karatzasferi, C., Hadjigeorgiou, G. M., Lavdas, E., Kyriakides, T., Koutedakis, Y., & Stefanidis, I. (2013). Effect of exercise training and dopamine agonists in patients with uremic restless legs syndrome: A six-month randomized, partially double-blind, placebo-controlled comparative study. *BMC Nephrology*, 14(1). <https://doi.org/10.1186/1471-2369-14-194>
- Guo, S., Huang, J., Jiang, H., Han, C., Li, J., Xu, X., Zhang, G., Lin, Z., Xiong,

- N., & Wang, T. (2017). Restless legs syndrome: From pathophysiology to clinical diagnosis and management. *Frontiers in Aging Neuroscience*, 9(JUN), 1–14. <https://doi.org/10.3389/fnagi.2017.00171>
- Handayani, R. S., & Rahmayati, E. (2013). Faktor-faktor yang Berhubungan dengan Kualitas Hidup Pasien Chronic Kidney Disease (CKD) yang Menjalani Hemodialisis. *Jurnal Keperawatan*, IX(2), 238–245. <https://ejurnal.poltekkes-tjk.ac.id/index.php/JKEP/article/view/363>
- Harahap, R. H., Muzasti, R. A., & Thamrin, A. (2020). Fibroblast Growth Factor-23 (FGF-23) in Patients with Regular Hemodialysis: A Risk Factor for Restless Legs Syndrome. *Harahap, R. H., Muzasti, R. A., & Nasution, A. T. (2020). Fibroblast Growth Factor-23 (FGF-23) in Patients with Regular Hemodialysis: A Risk Factor for Restless Legs Syndrome. Journal of Endocrinology, Tropical Medicine, and Infectious Disease (JETROMI)*, 02(3), 133–143. <https://doi.org/https://doi.org/10.32734/jetromi.v2i3.4293>
- Harmilah. (2020). *Asuhan Keperawatan Pada Pasien Dengan Gangguan Sistem Perkemihan*. Pustaka Baru Press.
- Hashemi, S. H., Hajbagheri, A., & Aghajani, M. (2015). The Effect of Massage With Lavender Oil on Restless Leg Syndrome in Hemodialysis Patients: A Randomized Controlled Trial. *Nursing and Midwifery Studies*, 4(4), 1–5. <https://doi.org/10.17795/nmsjournal29617>
- Hidayat, A. A. (2020). *Manipulative And Body-Based Therapies 1: Massage (Terapi Pijat)* (M. A. Elwa & I. Kurniawan (eds.)). Nuansa Cendekia.
- Hongratanaoworakit, T. (2004). Physiological effects in aromatherapy Physiological effects in aromatherapy. *Technol*, 26(1), 117–125. <http://rdo.psu.ac.th/sjst/journal/26-1/12aromatherapy.pdf>
- Hudhariani, R. nur, Yunani, & Ristanti, A. (2022). THE EFFECT OF MASSAGE EFFLEURAGE WITH LAVENDER AROMATHERAPY ON THE INTENSITY OF DYMENORORE PAIN IN ADOLESCENT WOMEN IN THE PABELAN HEALTH Rose Nur Hudhariani , Yunani , Alfi Ristanti This research was conducted in April-July 2021 in the working area of th. *Jurnal Ilmu Dan Teknologi Kesehatan STIKES Widya Husada*, 13(2), 75–79. <https://doi.org/https://doi.org/10.33666/jitk.v13i2.450>
- Hutagaol, E. V. (2017). Peningkatan Kualitas Hidup Pada penderita Gagal Ginjal Kronik Yang Menjalani Terapi Hemodialisa Melalui Psychological Intervention Di Unit Hemodialisa Rs Royal Prima Medan Tahun 2016. *JUMANTIK (Jurnal Ilmiah Penelitian Kesehatan)*, 2, 42–59. <https://doi.org/10.1080/13507486.2015.1047603>
- Ignatavicius, D. D., & Workman, M. L. (2006). *Medical-Surgical Nursing: Critical Thinking for Collaborative Care - 5th Edition*. Elsevier.

- IRLSSG. (2003). Validation of the International Restless Legs Syndrome Study Group rating scale for restless legs syndrome. *Sleep Medicine*, 4(2), 121–132. [https://doi.org/10.1016/S1389-9457\(02\)00258-7](https://doi.org/10.1016/S1389-9457(02)00258-7)
- Jaelani. (2009). *Aroma Terapi*. Pustaka Populer Obor.
- Katsi, V., Katsimichas, T., Kallistratos, M. S., Tsekoura, D., Makris, T., Manolis, A. J., Tousoulis, D., Stefanadis, C., & Kallikazaros, I. (2014). The association of Restless Legs Syndrome with hypertension and cardiovascular disease. *Medical Science Monitor*, 20, 654–659. <https://doi.org/10.12659/MSM.890252>
- Klingerhoefer, L., Bhattacharya, K., & Reichmann, H. (2016). Restless legs syndrome. *Clinical Medicine (Lond)*, 16(4), 379. <https://doi.org/10.7861/clinmedicine.16-4-379>
- Lin, X. W., Zhang, J. F., Qiu, M. Y., Ni, L. Y., Yu, H. L., Kuo, S. H., Ondo, W. G., Yu, Q., & Wu, Y. C. (2019). Restless legs syndrome in end stage renal disease patients undergoing hemodialysis. *BMC Neurology*, 19(1), 1–7. <https://doi.org/10.1186/s12883-019-1265-y>
- Lina, L. F., & Wahyu, H. (2019). Efektivitas Inovasi Intervensi Keperawatan Mengulum Es Batu Terhadap Skala Haus Pasien Hemodialisis. *Jurnal Keperawatan Muhammadiyah Bengkulu*, 7(2), 106–113. <https://doi.org/10.36085/jkmu.v7i2.499>
- Mahrova, A., & Svagrov, K. (2013). Exercise Therapy – Additional Tool for Managing Physical and Psychological Problems on Hemodialysis. *Hemodialysis*. <https://doi.org/10.5772/53058>
- Muttaqin, A., & Sari, K. (2011). Asuhan Keperawatan Gangguan sistem Perkemihan. *Jakarta : Salemba Medika*, xvi, 278.
- Nasution, S. H., Syarif, S., & Musyabiq, S. (2020). Penyakit Gagal Ginjal Kronis Stadium 5 Berdasarkan Determinan Umur , Jenis Kelamin , dan Diagnosa Etiologi di Indonesia Tahun 2018 Chronic Kidney Failure Disease Stage 5 Based on Determinants of Age , Gender , and Diagnosis of Etiology in Indonesia in 201. *JK Unila*, 4(2), 157–160.
- Ningsih, Y., Maliya, A., & Kusnanto. (2020). Pengaruh Massage Lavender Oil Pada Pasien Restless Leg Syndrome (RLS) Yang Menjalani Hemodialisa. *Prosiding Seminar Nasional Keperawatan Universitas Muhammadiyah Surakarta*, 2020. <https://publikasiilmiah.ums.ac.id/xmlui/handle/11617/11919>
- Nivetha, K., Aruna, S., & Gowri, M. (2017). Effectiveness of Intradialytic Stretching Exercise on Bio Chemical Variables Among Patient Undergoing Hemodialysis in Selected Hospital. *International Journal of Development Research*, 07(09), 15240–15243.

- Nuari, N. A., & Widayati, D. (2017). Gangguan pada system perkemihan & penatalaksanaan keperawatan dengan pendekatan SDKI 2016 NIC NOC & Spider Web Design. In *Deepublish*. Deepublish.
- Nur, A., Erika, K. A., & Sinrang, A. W. (2018). the Effect of Intradialysis Stretching Exercise on the Scale of Restless Leg Syndrome. *Journal of Islamic Nursing*, 3(2), 16. <https://doi.org/10.24252/join.v3i2.3673>
- Nurgiwiati, E. (2015). *Terapi alternatif & komplementer dalam bidang keperawatan*. In Media.
- Nursalam. (2006). *Asuhan Keperawatan Pada Pasien Dengan Gangguan Sistem Perkemihan*. Salemba Medika.
- Nursalam. (2020). *Literature Systematic Review Pada Pendidikan Kesehatan: Contoh Penulisan Tugas Akhir Mahasiswa Menggunakan Review*.
- Oshvandi, K., Mirzajani Letomi, F., Soltanian, A. R., & Shamsizadeh, M. (2021). The effects of foot massage on hemodialysis patients' sleep quality and restless leg syndrome: A comparison of lavender and sweet orange essential oil topical application. *Journal of Complementary and Integrative Medicine*, 18(4), 843–850. <https://doi.org/10.1515/jcim-2020-0121>
- Palinggi, Y. (2017). PERUBAHAN KADAR HEMOGLOBIN DAN UREUM TERHADAP KUALITAS TIDUR PASIEN END STAGE RENAL DISEASE YANG MENJALANI TERAPI HEMODIALISIS DI RUMAH SAKIT UMUM DAERAH ANDI MAKKASAU PAREPARE. *Jurnal Kesehatan Lentera Acitya*, 5(1), 28–48. http://digilib.unhas.ac.id/uploaded_files/temporary/DigitalCollection/
- Parsons, T. L., Toffelmire, E. B., & King-VanVlack, C. E. (2006). Exercise Training During Hemodialysis Improves Dialysis Efficacy and Physical Performance. *Archives of Physical Medicine and Rehabilitation*, 87(5), 680–687. <https://doi.org/10.1016/j.apmr.2005.12.044>
- Pereira Jr., J. C., Pradella-Hallinan, M., & Alves, R. C. (2014). Childhood restless legs syndrome. *Medical Express*, 1(3), 116–122. <https://doi.org/10.5935/MedicalExpress.2014.03.04>
- Rahayu, G., Malini, H., & Oktarina, E. (2019a). Analisis Karakteristik Penderita Restless Legs Syndrome pada Pasien Chronic Kidney Disease di Ruang Hemodialisa. *Jurnal Endurance*, 4(3), 506. <https://doi.org/10.22216/jen.v4i3.4488>
- Rahayu, G., Malini, H., & Oktarina, E. (2019b). Hubungan Kadar Ureum terhadap Restless Legs Syndrome pada Pasien Chronic Kidney Disease. *NERS Jurnal Keperawatan*, 15(2), 140. <https://doi.org/10.25077/njk.15.2.140-146.2019>
- Rashedi, S. A. L., & Ghaleb, M. A. (2017). Effectiveness of Intradialytic Leg Exercise on Dialysis Efficacy among Patients Undergoing Hemodialysis.

International Journal of Advance Research and Innovative Ideas in Education, 3(1), 133–144.

- Retnosari, E., Setiawati, & Putri, N. C. M. (2022). *BUKU AJAR KONSEP HOLISTIK MASSAGE*. Literasi Nusantara. https://www.google.co.id/books/edition/BUKU_AJAR_KONSEP_HOLISTIK_MASSAGE/RDx2EAAAQBAJ?hl=id&gbpv=1
- Riskesdas. (2018). Laporan Nasional 2018. *Badan Penelitian Dan Pengembangan Kesehatan Departemen Kesehatan*.
- Robby, A., Agustin, T., & Hanifan Azka, H. (2022). Pengaruh Pijat Kaki (Foot Massage) Terhadap Kualitas Tidur. *Healthcare Nursing Journal, 4(1)*, 206–213. <https://doi.org/10.35568/healthcare.v4i1.1845>
- Rositasari, E., & Maliya, A. (2022). Lavender Aromatherapy to Treat the Symptoms of Restless Leg Syndrome in Patients Undergoing Hemodialization. *Media Keperawatan Indonesia, 5(2)*, 139. <https://doi.org/10.26714/mki.5.2.2022.139-146>
- Sakitri, G., Makiyah, N., & Khoiriyati, A. (2017). Pengaruh Intradialytic Exercise Terhadap Fatigue Pasien Hemodialisis The Effect of Intradialytic Exercise on Fatigue Hemodialysis Patients at RSUP dr . Soeradji Tirtonegoro Klaten. *Media Publikasi Penelitian, 15(1)*, 58–64.
- Salpan, E. F. J. (2021). *KURANGI RISIKO RESTLESS LEGS SYNDROME DENGAN LATIHAN STRETCHING PADA PASIEN HEMODIALISIS* [Universitas Pembangunan Nasional Veteran Jakarta]. <http://repository.upnvj.ac.id/id/eprint/14171>
- Saraswati, N. L. G. I., Lestari, N. K. Y., & Putri, K. A. (2022). Hubungan Tingkat Stres Dengan Kualitas Tidur Pada Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisis. *Malahayati Nursing Journal, 4(5)*, 1242–1249. <https://doi.org/10.33024/mnj.v4i5.6598>
- Sari, D. N., & Rumhaeni, A. (2020). Foot Massage Menurunkan Nyeri Post Operasi Sectio Caesarea Pada Post Partum. *Jurnal Kesehatan Komunitas, 6(2)*, 164–170. <https://doi.org/10.25311/keskom.vol6.iss2.528>
- Sari, D. P., St, S., Rufaida, Z., Bd, S. K., Sc, M., Wardini, S., Lestari, P., St, S., & Kes, M. (2018). Nyeri persalinan. *Stikes Majapahit Mojokerto, 1–117*.
- Scherer, J. S., Combs, S. A., & Brennan, F. (2017). Sleep Disorders, Restless Legs Syndrome, and Uremic Pruritus: Diagnosis and Treatment of Common Symptoms in Dialysis Patients. *American Journal of Kidney Diseases, 69(1)*, 117–128. <https://doi.org/10.1053/j.ajkd.2016.07.031>
- Selim, A., Saad Salem, S., Albasher, N., Bakrmom, G., Alanzi, S., & Jradi, H. (2022). Irritable Bowel Syndrome and Coping Strategies: A Cross-sectional Study for Identifying Psychological Alarms and Factors Related to Coping in

- Riyadh, Saudi Arabia. *Clinical Nursing Research*, 31(1), 144–154. <https://doi.org/10.1177/10547738211020437>
- Setiati, S., Sudoyono, A. W., Setiyahadi, B., Alwi, I., & Simadibrata, M. (2014). *Buku Ajar Ilmu Penyakit Dalam Jilid 2*. Interna Publishing.
- Setyaningrum, A. C., & Widayawati, M. N. (2021). *Khasiat Pijat Aromaterapi Terhadap Produksi Asi dan Menurunkan Kadar Kortisol*. Global Aksara Pres. https://www.google.co.id/books/edition/Khasiat_Pijat_Aromaterapi_Terhadap_Produ/JlFYAAAQBAJ?hl=id&gbpv=1&kptab=getbook
- Shahgholian, N., Jazi, S., Karimian, J., & Valiani, M. (2016). The effects of two methods of reflexology and stretching exercises on the severity of restless leg syndrome among hemodialysis patients. *Iranian Journal of Nursing and Midwifery Research*, 21(3), 219–224. <https://doi.org/10.4103/1735-9066.180381>
- Sheng, K., Zhang, P., Chen, L., Cheng, J., Wu, C., & Chen, J. (2014). Intradialytic exercise in hemodialysis patients: A systematic review and meta-analysis. *American Journal of Nephrology*, 40(5), 478–490. <https://doi.org/10.1159/000368722>
- Silaen, H. (2018). Pengaruh Pemberian Konseling Dengan Tingkat Kecemasan Pada Pasien Yang Menjalani Hemodialisis Di Rumah Sakit Kota Medan. *Jurnal Ilmiah Keperawatan Imelda*, 4(1), 52–57. <https://doi.org/10.52943/jikeperawatan.v4i1.284>
- Song, Y. yuan, Hu, R. jun, Diao, Y. shu, Chen, L., & Jiang, X. lian. (2018). Effects of Exercise Training on Restless Legs Syndrome, Depression, Sleep Quality, and Fatigue Among Hemodialysis Patients: A Systematic Review and Meta-analysis. In *Journal of Pain and Symptom Management* (Vol. 55, Issue 4, pp. 1184–1195). American Academy of Hospice and Palliative Medicine. <https://doi.org/10.1016/j.jpainsymman.2017.12.472>
- Sulistini, R. (2020). *Fatigue Pasien Yang Menjalani Hemodialisis Pendekatan Asuhan Keperawatan*. Chakra Brahmanda Lentera.
- Suranto, A. (2011). *Pijat Anak*. Penebar Plus.
- Surya, D. O., & Desnita, R. (2019). Efektifitas Akupresur Terhadap Derajat Restless Leg Syndrome Pada Pasien Yang Menjalani Hemodialisis. *JURNAL KESEHATAN PERINTIS (Perintis's Health Journal)*, 6(2), 104–109. <https://doi.org/10.33653/jkp.v6i2.283>
- Susatia, B., Wildan, M., Mustafa, A., & Rahman, N. (2020). Pedoman Penyusunan Karya Tulis Ilmiah Studi Literatur. *Politeknik Kesehatan Kemenkes Malang*.
- Torres, S. A. C., Sifuentes, H. R. I., Terán, H. S., Martínez, C. S., Luévanos, B.

- C., & Bellmann, I. E. (2018). Restless legs syndrome in end-stage renal disease patients undergoing hemodialysis. *Arq Neuropsiquiatr*, 76(12), 827–830. [https://doi.org/https://doi.org/10.1590/0004-282X20180133](https://doi.org/10.1590/0004-282X20180133)
- Trisnowiyanto, B. (2012). *Keterampilan Dasar Massage*. Nuha Medika.
- Utomo, E. K., & Rochmawati, E. (2018). Pengaruh Exercise Intradialytic Terhadap Nilai Adekuasi Hemodialysis: Literature Review. *Jurnal Keperawatan Muhammadiyah*, 3(2), 79–87. [https://doi.org/https://doi.org/10.30651/jkm.v3i2.1817](https://doi.org/10.30651/jkm.v3i2.1817)
- Wijaya, A. S., & Putri, Y. M. (2013). *Keperawatan Medikal Bedah 1 (Keperawatan Dewasa) Teori dan Contoh Askek*. Nuha Medika.
- Winkelmann, J. W., Allen, R. P., Armstrong, M. J., Trenkwalder, C., & Zee, P. C. (2017). Author response: Practice guideline summary: Treatment of restless legs syndrome in adults: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology. *Neurology*, 88(24), 2337–2338. <https://doi.org/10.1212/WNL.0000000000004047>
- Winter, A. C., Berger, K., Glynn, R. J., Buring, J. E., Gaziano, J. M., Schürks, M., & Kurth, T. (2013). Vascular risk factors, cardiovascular disease, and restless legs syndrome in men. *American Journal of Medicine*, 126(3), 228-235.e2. <https://doi.org/10.1016/j.amjmed.2012.06.039>